

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	rout\$4 near2 (database or director\$4 or file\$2) near2 (barcode adj (read\$2 or scan\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 06:48
L2	1	rout\$4 near4 (database or director\$4 or file\$2) near4 (barcode adj (read\$2 or scan\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 06:48
L3	1	rout\$4 near8 (database or director\$4 or file\$2) near8 (barcode adj (read\$2 or scan\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 06:49
L4	1	rout\$4 near12 (database or director\$4 or file\$2) near12 (barcode adj (read\$2 or scan\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 06:49
L5	67	rout\$4 same (database or director\$4 or file\$2) same (barcode adj (read\$2 or scan\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 06:49
L6	0	rout\$4 same (database or director\$4 or file\$2) same (barcode adj (read\$2 or scan\$4)) same URL\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 06:50
L7	12	5 and url\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 07:25
L8	1	link\$4 near2 url\$2 near2 barcode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 07:26

L9	4	link\$4 near6 url\$2 near6 barcode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 07:27
L11	1591	link\$4 adj (url\$2 or barcode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 07:29
L12	1440	11 and (read\$4 or scan\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 07:35
L14	242	(translat\$4 or scan\$4 or read\$4) same (barcode\$2 or bar-code\$2 or (input\$2 adj data)) same url\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 07:38
L15	46	14 and database and (intermediate or middle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 08:29
L16	37176	instruct\$4 near3 (code\$2 script\$4 applet\$2 program\$2 executable\$2) near3 (data information rout\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:51
L17	8993	instruct\$4 near1 (code\$2 script\$4 applet\$2 program\$2 executable\$2) near1 (data information rout\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 08:32
L18	957	17 and database and (intermediate or middle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 08:30

L19	60	18 and (barcod\$2 or ISBN or EAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 08:39
L20	0	instruct\$4 near1 (code\$2 script\$4 applet\$2 program\$2 executable\$2) near1 (intermediate or middle) near1 location near1 (data information rout\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 08:33
L21	3	instruct\$4 near1 (code\$2 script\$4 applet\$2 program\$2 executable\$2) near1 (intermediate or middle) near1 (data information rout\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 08:34
L22	286	instruct\$4 near5 (code\$2 script\$4 applet\$2 program\$2 executable\$2) near5 (intermediate or middle) near5 (rout\$5 data information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 08:37
L24	119	instruct\$4 near3 (code\$2 script\$4 applet\$2 program\$2 executable\$2) near3 (intermediate or middle) near3 (rout\$5 data information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 08:37
L25	1	24 and (barcod\$2 or ISBN or EAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 08:40
L27	5	22 and (barcod\$2 or ISBN or EAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 08:40
L28	19	("4990756"   "5065003"   "5258604"   "5382784"   "5640002"   "5664229"   "5675139"   "5696496"   "5745794"   "5770847"   "5814803"   "5875415"   "5932862"   "6150948"   "6155488"   "6176429"   "6218942"   "6293467"   "6415978").PN. OR ("6758403").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 08:44

L29	67	5 and (barcod\$2 or ISBN or EAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 08:55
L30	2	("5812776").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 08:55
L31	92	("4941089"   "5204947"   "5297249"   "5309437"   "5325362"   "5353283"   "5483652"   "5491820"   "5530852"   "5544320"   "5577209"   "5583996").PN. OR ("5812776").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 09:51
L32	3	31 and (instruct\$4 near3 (code\$2 script\$4 applet\$2 program\$2 executable\$2) near3 (data information rout\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:52
L33	1804	url\$2 near1 (code UPC ISBN number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:00
L34	514	url\$6 adj (code UPC ISBN number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:10
L35	1488	url\$6 adj (data UPC ISBN number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:11
L36	221	url\$6 adj (UPC ISBN number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:12

L37	34	url\$6 adj (UPC ISBN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:12
-----	----	-----------------------	---	----	----	------------------